

--susceptibility--;

line 15, change "high in the speed" to

Al --experiencing a rapid rate--;

line 17, after "of" insert --particular-- and
after "short" insert a comma --,--;

line 18, delete "moreover," and change "having
introduced" to --introducing--;

line 20, after "are" insert --being--;

line 22, change "Now, the" to --The--;

line 23, change "made" to --required to provide--,
delete "in" and after "speed" insert --capability--;

line 25, after "above" insert a comma --,--.

Page 2:

line 2, change "system" to --portion--;

line 4, change "enclose" to --enclosing--;

line 6, change "resulting from" to --to
accommodate--;

line 8, change "less" to --reduced--;

line 12, delete "in the";

line 13, change "Now, the inland conveyance" to
--The shipment--;

line 14, change "under" to --in an--;

line 15, after "environment" insert --in which
they are--;

line 17, change "excitation," to --vibration--;

line 22, change "directed to" to --designed for--
and change "suffer from the possibility" to --be subjected
to--;

line 23, delete "of creating";

line 25, after "thereof" insert a comma --,--;

line 26, delete "moreover".

Page 3:

line 4, change "problem in a" to --hindrance
to--;

line 7, delete "which may";

line 8, delete "be created";

line 9, change "the" to --a principal--;

line 20, change "the" to --an--.

Page 4:

line 6, change ", and" to --. Preferably,--.

Page 5:

line 6, change "the" to --an--.

Page 6:

line 1, change "using" to --use-- and after "of"
insert --the--;

line 2, after "maintained" insert a comma --,--;

line 3, delete "functions of";

line 4, change "be combined in need" to --also be
provided--;

line 6, change "using" to --use--;

line 7, change "combined with the" to --containing
a--;

line 8, delete the comma --,--;

line 27, delete "shown".

Page 7:

line 1, delete "below".

Page 8:

line 10, change "durable performance" to
--durability--;

line 11, change "more improved" to --enhanced--;

line 12, change "prevention" to --Prevention--.

Page 9:

line 9, change "oil" to --oily-- and before
"oleic" insert --the lubricating oil may preferably use--;
line 12, change "- these" to --. These--.

Page 10:

line 18, delete "effect";
line 19, delete "in the" and change "can" to
--may--;
line 20, change "suitably used" to --preferred--.

Page 11:

line 3, after "thickness" insert --regulating
agent--;
line 12, change ", and" to --. Preferably,--;
line 24, change "super-high" to --super-hard--.

Page 12:

line 5, change ", even if" to a period ---;
line 6, delete the line in its entirety;
line 7, delete "ceramics or steel and a super-hard
alloy".

Page 13:

line 10, change "It is because" to --Because--;

line 13, change "that" to a comma --,--.

Page 19:

line 2, change "and" to a comma --,--;

line 3, delete "also";

line 5, after "affected" insert a comma --,-- and
after "which" insert --further--.

IN THE ABSTRACT OF THE DISCLOSURE:

Page 21:

lines 2-5, delete in their entirety;

line 6, change "life.. In a" to -Enhanced

A3
fretting resistance, high-speed capability, and service life
are achieved by a--;

line 8, change "the" to --and, wherein an--;

A4
line 10, before "is" insert -f, and which
preferably contains an extreme pressure agent and a
corrosion preventing agent,--.